

Kolor Kut Modified Water Finding Paste

#### **1. IDENTIFICATION**

Product Name:	Kolor Kut Modified Water Finding Paste
Product Code:	KK-GGP
Product Use:	For gauging water content in Methanol/Ethanol Enriched fuel systems/Petroleum Products
Manufacturer:	KOLOR KUT PRODUCTS CO. LTD
Physical Address:	7915 E. ELM STREET
	HOUSTON, TX 77012
Mailing Address:	P.O. BOX 5415
	HOUSTON, TX 77262-5415
Phone Number:	713-926-4780
Email:	sales@kolorkut.com
Emergency Phone Number:	713-926-4780

### 2. HAZARD(S) IDENTIFICATION

<b>GHS Classification</b>	
	Not Classified
GHS Label Elements	
Physical hazards:	Not classified.
Health hazards:	Not classified.
OSHA defined hazards:	Not classified.
Label elements	
Hazard symbol:	None.
Signal word:	Warning
Hazard statement:	
Precautionary statement	
Prevention:	Wash thoroughly after handling.
Response If in eyes:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Storage:	Store in cool, dry area in original or equivalent container in
accordance with all applicable regulations. Do not expose to extreme heat or flame. Store	
below 150°F. Do not freeze f	for preservation of product only.
<b></b>	

**Disposal:** Dispose of waste and residues in accordance with local authority requirements.



**Kolor Kut Modified Water Finding Paste** 

#### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### No Hazardous Ingredients (29 CFR 1910.1200)

• NO toxic chemicals subject to the reporting requirements of Section 313 of Title III and of 40 CFR 372 are present.

#### 4. FIRST AID MEASURES

Inhalation:Not applicable to this product.Ingestion:Do not induce vomiting and give large quantities of water. Get medicalattention if nausea or stomach pain occurs.Use clean cloth – wash with soap & water.Skin Contact:Use clean cloth – wash with soap & water.Eye Contact:Flush eyes with clean water for at least 15 minutes. If irritation occurs,call a physician.

#### **5. FIRE-FIGHTING MEASURES**

Suitable Media: Not Suitable:	Standard dry chemical, Foam, CO <sub>2</sub> , Water-fog
Combustion Products: Special Protective	Smoke, Fumes, Carbon Monoxide.
Equipment for Fire-Fighters	: Wear a NIOSH/MSHA approved self-contained breathing apparatus and full protective clothing.
Explosion Hazards:	In the presence of mechanical impact or static discharge: no explosion risk
Fire Fighting Measures:	Use foam, CO2, dry chemical, water fog. Water can be used to keep containers cool and to flush spills away from fire exposure. Firefighters must wear self-contained breathing apparatus in enclosed areas



Kolor Kut Modified Water Finding Paste

### 6. ACCIDENTAL RELEASE MEASURES

Personal Precaution	s:	Wear appropriate personal protection equipment. (See Section 8)
Environmental Preca	autions:	Avoid discharge into drains, water courses or onto the ground.
Small Spill:		product. Add sand, earth or some other suitable absorbent. aterial in accordance with all local, state & federal
Large Spill:	Take care to keep product out of sewers and watercourses by diking or impounding. Advise authorities if product has entered sewers, watercourses or extensive land areas.	

#### 7. HANDLING & STORAGE

Handling: Wear appropriate personal protection equipment (See Section 8). Wash hands thoroughly after handling. Do not get in eyes. Follow good hygiene and housekeeping practices. Use in ventilated areas.
Storage: Store in cool, dry area in original or equivalent container in accordance with all applicable regulations. Do not expose to extreme heat or flame. Store below 150 degrees Fahrenheit.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

<b>Biological Limit Values:</b>	No biological exposure limits noted for the ingredient(s).
<b>Control Parameters:</b>	No occupational exposure limits.
Engineering Controls:	Use good industrial hygiene practice and adequate ventilation.
Eye/Face Protection:	Safety Glasses with side shields.
Hand Protection:	Oil impervious gloves recommended or as required.
Skin Protection:	No additional protection required beyond normal industrial attire
	is required.
<b>Respiratory Protection:</b>	No special measures required.



Kolor Kut Modified Water Finding Paste

#### 9. PHYSICAL & CHEMICAL PROPERTIES

Appearance
------------

Physical State:	Solid
Form:	Semi-Solid
Color:	Brown
Odor:	Slight Ammonia Odor
pH:	Not Applicable
Melting point/freezing point:	Not Applicable
Initial boiling point and boiling:	650°F
Flash Point:	+365° Fahrenheit (185° Celsius)
Evaporation Rate:	<1 (Ether=1)
Upper Flammability Limit:	No Data
Lower Flammability Limit:	No Data
Vapor Pressure:	.1
Vapor Density:	<1
Relative Density:	1.1
Solubility:	Yes
Viscosity:	No data
Partition coefficient	
(n-octanol/water):	Not available.
Auto-ignition temperature:	Not available.
Decomposition temperature:	Not available.
Explosive properties:	Not explosive.

#### **10. STABILITY & REACTIVITY**

Reactivity:	The product is stable and non-reactive under normal
	conditions of use, storage and transport.
Chemical Stability:	Stable
Conditions to avoid:	Extreme heat.
Incompatible Materials:	Strong oxidizers, acids
Hazardous Decomposition Products: Carbon monoxide, Smoke Fumes	



Kolor Kut Modified Water Finding Paste

#### **11. TOXICOLOGICAL INFORMATION**

Acute Toxicity:	No ingredients reported to be acutely toxic.
Irritation:	May cause mild redness and discomfort on contact with eyes.
Corrosivity:	No ingredients reported to be corrosive.
Sensitization:	No ingredients reported to be respiratory or skin sensitizers.
Germ Cell Mutagenicity:	No ingredients reported to have mutagenic effects.
Carcinogenicity:	No ingredients reported to be carcinogenic.
Reproductive Toxicity:	No ingredients reported to have reproductive effects.
STOT – Single Exposure:	No ingredients reported to have specific target organ toxicity single exposure effects.
STOT – Repeated Exposure:	Not classified.
Aspiration Hazard:	No data available.
Chronic Effects:	May cause dermatitis in individuals with pre-existing skin disorders.

#### **12. ECOLOGICAL INFORMATION**

Ecotoxicity:	No ingredients reported to be dangerous for the environment.
Persistence/degradability:	No data
Mobility:	No data
Bioaccumulative potential:	No data available on bioaccumulation.

#### **13. DISPOSAL CONSIDERATIONS**

Waste Disposal:	Dispose of in accordance with local, state, and federal regulations.	
Hazardous Waste Code:	The waste code should be assigned in discussion between the	
	user, the producer and the waste disposal company.	

#### **14. TRANSPORT INFORMATION**

DOT (US):	Not Regulated
IMDG:	Not Regulated
IATA:	Not Regulated



Kolor Kut Modified Water Finding Paste

#### **15. REGULATORY INFORMATION**

#### **US Regulations**

No ingredient in this product is subject to the reporting requirements of SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65) or CERCLA (40 CFR 302.4)

<u>State Regulations</u> California Prop 65: Massachusetts Right to Know: New Jersey Right to Know: Pennsylvania RTK Hazardous Substances:	No ingredients listed No ingredients listed No ingredients listed No ingredients listed
United States Inventory (TSCA):	All ingredients are listed or exempt.
International Regulations: Canada: WHMIS Classification: WHMIS:	Not controlled. This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR.
Canada Domestic Substances List: Europe inventory (EINECS): Australia inventory (AICS): China inventory (IECSC): New Zealand Inventory of Chemicals (NZIOC): Philippines inventory (PICCS):	All ingredients listed or exempt. All ingredients listed or exempt.




Kolor Kut Modified Water Finding Paste

#### **16. OTHER INFORMATION**

Hazardous Material Information System (USA):

HEALTH	0
FLAMMABILITY	1
PHYSICAL HAZARD	0
PERSONAL PROTECTION	В

National Fire Protection Association (USA):



HS-Tariff Classification Number: ECCN Number:

**9026107000** EAR99-NLR

Issue Date: Revision Information: Disclaimer: January 1, 2022 Original GHS Issue This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.